Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3411	709/206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:56
L2	52276	(HEWLETT adj PACKARD).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:56
L3	6597	(Picca Lechner Eckert).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:57
L4	6208	709/203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:57
S16	2457	709/206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2006/03/08 14:52
S19	2118638	broker\$1 agent\$1 delegate\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:13
S20	2200942	notice\$1 communicati\$2 messag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:10
S21	39527	(asynchronous S19) with S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR _	OFF	2005/01/14 15:08

·			_			
S22	523	S16 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:08
S33	246	(message adj (queu\$3 broker\$1)) same poll\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 14:16
S43	2979	(asynchronous broker\$1) near3 messag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/01/14 15:11
S65	427	publisher\$1 near3 subscriber\$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/14 16:45
S67	495	MQSeries	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:03
S71	. 1111	publish\$2 adj subscribe\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:20
S81	606	(poll\$3 timeout asynchronous) same (message adj (channel\$1 queue\$1))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/18 11:17
S83	26	(software adj ag).as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 09:06
S93	27	mqget	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/25 11:52

			,	· — — —		<del></del>
S95	5154	(message adj broker\$1) (enterprise adj application adj integration) (message adj queu\$4)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 15:12
S98	128	timeout same (message adj queu\$4)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 15:08
S99		jms with servlet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 15:08
S10 3	3529	709/206,246.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR.	OFF	2005/01/25 15:49
S11 0	85	timeout adj response	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/26 10:09
S11 8	1112	(post adj office adj protocol)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/26 10:18
S12 4		sagavista .	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/26 17:10
S12 5	0	"6453356".pn. and "292"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	2005/02/04 15:39
S12 6	0	"6023722".pn. and (timeout (time adj out))	USPAT	OR ·	OFF	2005/02/04 15:41
S12 7	254	(message adj channel) and (timeout (time adj out))	USPAT	OR 	OFF	2005/02/04 15:42

S12 8	37	(message adj channel) same (timeout (time adj out))	US-PGPUB; USPAT;	OR	OFF	2005/02/04 15:43
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S12 9	4993	response with (timeout (time adjout))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:43
S13 0	176	(timeout (time adj out)) adj response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:49
S13 1	7356	message adj (channel queu\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:49
S13 2	18	S129 same S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:50
S13 3	10190	pull with response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:54
S13 4	60	S131 and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:50
S13 5	. 7	S133 and 709/206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:53

S13 6	331	S131 and (response with (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2005/02/04 15:58
S13.	76	S131 and (response adj (timeout	DERWENT; IBM_TDB US-PGPUB;	OR	OFF	2005/02/04 15:58
7		(time adj out)))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S13 8	99	S131 and (response near (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:48
S13 9		ApplIdentityData	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:00
S14 0	146	(message adj (broker queu\$4)) and (request same (source adj (address information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:39
S14 1	21	(message adj (channel queu\$4)) same ((source adj (address information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF <sup>.</sup>	2005/02/08 10:49
S14 2	103	(message adj (channel queu\$4)) same ((destination adj (address information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:56
S14 3	13	(message adj (channel queu\$4)) same (source adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/02/08 10:57

S14	13	(message adj (channel\$2 queu\$4	US-PGPUB;	OR	OFF	2005/02/08 10:57
4		broker\$1)) same (source adj address)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		Orr	
S14 5	610	(message adj (channel\$2 queu\$4 broker\$1)) same source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 11:00
S14 6	90	(message adj (channel\$2 queu\$4 broker\$1)) same (destination adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 15:02
S14 7	89	(message adj (channel\$2 queu\$4)) same (destination adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 14:34
S14 8	121	firewall\$1 with http with pass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF ·	2005/02/08 16:22
S14 9	3032	url with response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:22
S15 0	1245	S149 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/02/08 16:22
S15 1	473	url near response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:22

S15	243	S151 and "709".clas.	US-PGPUB;	OR	OFF	2005/02/08 16:22
2	243	S151 and 709 .Clas.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	·	2005/02/08 16:22
S15 3	336	retransmit\$4 with ((time adj out) timeout)	USPAT	OR	OFF	2005/02/09 11:46
S15 4	628	retransmit\$4 with ((time adj out) timeout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:32
S15 5	149	S154 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/02/09 11:32
S15 6	35	retransmit\$4 with ((time adj out) timeout) with response	USPAT	OR	OFF	2005/02/09 11:46
S15 7·	88	retransmit\$4 with ((time adj out) timeout) with response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/02/09 11:48
S15 8	15	S157 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:47
S15 9	1	retransmit\$4 with ((time adj out) timeout) with response with nack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:49
S16 0	13	retransmit\$4 with ((time adj out) timeout) with nack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/02/09 11:49

S16	2	"20030069980".did.	US-PGPUB;	OR	OFF	2005/07/15 13:17
1			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			2003/07/13 13:17
S16 3	2	("6088796" "6023722").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/15 13:52
S16 4		ep02078303	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/15 13:52
S16 5	152	(message adj (channel\$2 queu\$4 broker\$1)) same pull\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 15:30
S16 6 .	15	S165.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 15:34
S16 7		"6292825".pn. and internet\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:37
S16 8	3	("6292825").URPN.	USPAT	OR	OFF	2005/07/15 16:02
S16 9	5	("5561637"   "5694546"   "5737619"   "5893091"   "6138158").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 16:02
S17 0	5	("5561637"   "5694546"   "5737619"   "5893091"   "6138158").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 17:35
S17 1	1611	(stor\$3 adj2 forward\$3) same (channel\$1 queue\$1 mailbox\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:37

S17 2	243	(stor\$3 adj2 forward\$3) same (channel\$1 queue\$1 mailbox\$2) same (request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:46
S17 3	1	(stor\$3 adj2 forward\$3) same (channel\$1 queue\$1 mailbox\$2) same (request\$3) same pull\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:46
S17 4	. 74	(stor\$3 adj2 forward\$3) near10 (channel\$1 queue\$1 mailbox\$2) same (request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:49
S17 5	1	"20020010781" did. and queue\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:50
S17 6	1	"20020010781".did. and (queue\$1 (stor\$3 adj2 forward\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/09 15:01
S17 7	64	(message adj queu\$4) near5 pull\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:02
S17 8	227503	"64" same (application\$1 network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:02
S17 9	40	S177 same (application\$1 network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:29

	<del></del>		·	·		
S18 0	7563 ·	(destination recipient\$1) near3 (channel\$1 queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:29
S18 1	7	S177 same S180	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:01
S18 2	5	("6704768" "6470357").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:01
S18 3	2	("6704768" "6470357").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:03
S18 4	944	(message adj rout\$3) same (channel\$1 queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR-	OFF -	2005/08/09 16:03
S18 5	42	S184.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:45
S18 6	1475	(identify\$3 near3 (queue\$1 channel\$1)) same (message\$1 email)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:46
S18 7	101	(identify\$3 near3 (message adj (queue\$1 channel\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2005/08/09 16:46
\$18 8	4103	messag\$3 same ((queu\$3 channel\$3) near3 identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:00

	· ·		<del>,</del>	r		
S18 9	140	messag\$3 same ((queu\$3 channel\$3) near3 identif\$4) same source\$1 same destination\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:03
S19 0	28	S189 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:02
S19 1	67	S189 same network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:02
S19 2	. 39	messag\$3 same ((queu\$3) near3 identif\$4) same source\$1 same destination\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:05
S19 3		(messag\$3 near broker\$1) same ((queu\$3) near3 identif\$4) same source\$1 same destination\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:05
S19 4	28	(messag\$3 near broker\$1) and ((queu\$3 channel\$1) near3 identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:08
S19 5	1338	(messag\$3 near queu\$4) and ((queu\$3 channel\$1) near3 identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:09
S19 6	340	S195 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:09

S19 7	363	(messag\$3 near queu\$4) same ((queu\$3 channel\$1) near3 identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/11 12:06
S19 8	26	\$197.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:09
S19 9	397	(messag\$3 near queu\$4) same ((queu\$3 channel\$1) near3 (specify\$3 identif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/11 12:06
S20 0	43	S199 same network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/11 12:06
S20 1	15	("4663706"   "4736369"   "4972437"   "5036518"   "5051892"   "5261089"   "5276861"   "5363505"   "5371886"   "5396613"   "5488703"   "5517622"   "5561797"   "5727154"   "5903724").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/11 13:02
S20 2	0	("6817018 <b>"</b> ).URPN.	USPAT	OR	OFF	2005/08/11 13:03
S20 3	16	mqsi	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:57
S20 4	119	(messag\$3) same (subscriber near10 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:58
S20 5	93	(messag\$3).ab. and (subscriber near10 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:58

				<del></del>		
S20 6		(messag\$3).ab. and (subscriber\$1 near5 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:58
S20 7	. 67	messag\$3 same (subscriber\$1 near5 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:59
S20 8	19	messag\$3 same (subscriber\$1 near5 (timeout (time adj out))) same (queu\$3 channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:00
S20 9	0	(messag\$3 near (broker\$1 queu\$3)) same (subscriber\$1 near5 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:01
S21 0	30	(messag\$3 near (broker\$1 queu\$3)) same ((client\$1 recipient\$1 subscriber\$1) near5 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:29
S21 1	6	(messag\$3 near2 middleware) same ((explicit\$2 identif\$4) near3 queu\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:30
S21 2	. 10	(messag\$3 near2 middleware) same pull\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:31
S21 3	. 0	(messag\$3 near2 middleware) same (pull\$3 near5 queu\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2005/08/11 14:32
S21 4.	13	(messag\$3 near2 middleware) and (pull\$3 near5 queu\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:52
S21 5	93	(messag\$3 near2 middleware) and (read\$3 near5 queu\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR 	OFF	2005/08/11 17:36

S21	1	"5771353".pn.	US-PGPUB;	OR	OFF	2005/08/11 17:36
6			USPAT; USOCR; EPO; JPO; IBM_TDB	OK		2003/00/11 17.30
S21 7		"20030037102".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 11:55
S21 8	6	("20030009571" "20010034842" "5630059").did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 11:55
S21 9		("20030009571" "20010034842" "5630059").did.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/07 12:10
S22 0		"6088796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/07 14:07
S22 1	. 2	("6412009" "6754621").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/07 14:16
S22 2	24	("5805803" "5826023" "6104716" "6101549" "20010023482" "20010036192" "20020069292" "20020156901" "6507577" "6668282" "6721792" "6754621" "20050058136" "6052710" "6169992" "20020099826" "20020124112" "20020128925" "20020147810" "20020194292" "6584567" "20030166209").did.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/07 14:44
S22 3	8150	(messag\$3 adj server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2006/03/08 13:45

	1		1	T		<del> </del>
S22 4		"5771353".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/07 14:48
S22 5	8524	(messag\$3 adj (broker\$1 server\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/07 15:35
S22 6	323 \	(messag\$3 adj (broker\$1 server\$1)) near5 (channel\$1 queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/07 15:36
S22 7	302	S226 same (client\$1 server\$1 network\$1 intranet\$1 internet\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/07 15:36
S22 8	17	S226.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF ·	2006/03/07 15:54
S22 9	. 2	("20030009571" "5630059").did.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 08:17
S23 0	1	"20030009571".did. and servlet\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 08:42
S23 1	35	(smtp (simple adj mail adj transfer adj protocol\$1) pop (post adj office adj protocol\$1)) same (destination near5 (mailbox\$1 queue\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 11:57
S23 2	16	(smtp (simple adj mail adj transfer adj protocol\$1) pop (post adj office adj protocol\$1)) same (destination near5 (mailbox\$1 queue\$1)) same ((login recipient\$1 receiv\$3) near5 (mail\$1 email\$1 (e adj mail\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:09

			1			•
S23 3	1574	((smtp (simple adj mail adj transfer adj protocol\$1)) same (pop (post adj office adj protocol\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:15
S23 4	30	S233.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:09
S23 5	6	S233 same (destination near5 (mailbox\$1 queue\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:24
S23 6	59	S233 and @py<"2001"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:25
S23 7	503	S233 and ((respond\$3 response\$1) near5 (mail\$1 email\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:25
S23 8	37	S237 and @py<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:31
S23 9	36569	thread\$1 near10 (((e electronic) mail\$1) email\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF.	2006/03/08 09:37
S24 0	31	S239 same (respond\$3 response\$1) same (intranet\$1 internet\$1 network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:36
524 1	. 4	S240 same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:32
524 2		S239 and (mailbox\$2 near5 destination\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:39

			,,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
S24 3	71	"same" near3 (mta (mail adj transfer adj agent\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:40
S24 4	6	S243 near5 (recipient\$1 receiver client\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:40
S24 5	12	(pop (post adj office adj protocol\$1)) same (destination near5 (mailbox\$1 queue\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:51
S24 6	5501	(respond\$3 response\$2) near5 (((e electronic) adj (mail\$1)) email\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF .	2006/03/08 09:56
S24 7		S245 and S246	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	ÓR	OFF	2006/03/08 09:51
S24 8	16	S246 same (destination near5 (mailbox\$1 queue\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:52
\$24 9	12087	(((e electronic) adj (mail\$1)) email\$1) near3 server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR <sub>.</sub>	OFF	2006/03/08 09:52
S25 0	5	S248 and S249	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:51
S25 1	248	S249.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2006/03/08 09:52
S25 2	2	S251 and (destination near5 (mailbox\$1 queue\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:53

		T	1	r		·
S25 3	. 21	S249.ab. and (destination near5 (mailbox\$1 queue\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:53
S25 4		(((e electronic) adj (mail\$1)) email\$1) same destination\$1 same mailbox\$2 same (pop (post adj office adj protocol\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 09:56
S25 5	153	("5790790").URPN.	USPAT	OR	OFF	2006/03/08 10:00
S25 6	11	servlet near10 (((e electronic) adj mail\$1) email\$1) near5 server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 10:40
S25 7	7	servlet near10 ((((e electronic) adj mail\$1) email\$1) near5 server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 10:48
S25 8	27	(jsp servlet) same ((((e electronic) adj mail\$1) email\$1) near5 server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2006/03/08 10:49
S25 9		(jsp\$1 servlet\$1) same ((((e electronic) adj mail\$1) email\$1) near5 server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 11:50
S26 0	45	(destination\$1 near5 mailbox\$2) same ((((e electronic) adj mail\$1) email\$1) near5 server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 11:57
S26 1	346	(smtp (simple adj mail adj transfer adj protocol\$1) pop (post adj office adj protocol\$1)) same (mailbox\$2) same ((((e electronic) adj mail\$1) email\$1) near5 server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2006/03/08 12:03
S26 2	2	S261.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 11:58

				T		
S26 3	17	(smtp (simple adj mail adj transfer adj protocol\$1) pop (post adj office adj protocol\$1)) same (mailbox\$2 near5 destination\$1) same ((((e electronic) adj mail\$1) email\$1) near5 server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 12:05
S26 4	31	(smtp (simple adj mail adj transfer adj protocol\$1)) same (mailbox\$2 near5 destination\$1) same ((((e electronic) adj mail\$1) email\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 12:51
S26 5	132	(smtp (simple adj mail adj transfer adj protocol\$1)) same (servlet\$1 jsp\$1 (java adj server adj page\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 12:52
S26 . 6	121	(smtp (simple adj mail adj transfer adj protocol\$1)) same web same proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2006/03/08 12:53
S26 7	2	(smtp (simple adj mail adj transfer adj protocol\$1)) same (web adj based) same proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 12:54
S26 8	121	(smtp (simple adj mail adj transfer adj protocol\$1)) same (web adj based)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 12:54
S26 9	0	(asnychronous same http same (message near3 (broker\$1 queu\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 13:46
S27 0	9	(asynchronous same http same (message near3 (broker\$1 queu\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 13:47
S27 1	0	((asynchronous near3 http) same (message near3 (broker\$1 queu\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/08 13:47